

05 MAY 2003

## PCT

NOTIFICATION OF TRANSMITTAL  
OF COPIES OF TRANSLATION  
OF THE INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT

(PCT Rule 72.2)

To:

USAMI, Tadao  
No.102, 32, Tsukimigaoka  
Yatomi-cho, Mizuho-ku  
Nagoya-shi, Aichi 467-0035  
JAPON

Date of mailing (day/month/year)

10 March 2005 (10.03.2005)

Applicant's or agent's file reference

SFX-PCT-5

## IMPORTANT NOTIFICATION

International application No.

PCT/JP2003/008332

International filing date (day/month/year)

30 June 2003 (30.06.2003)

Applicant

SUZUKA FUJI XEROX CO., LTD. et al

## 1. Transmittal of the translation to the applicant.

The International Bureau transmits herewith a copy of the English translation made by the International Bureau of the international preliminary examination report established by the International Preliminary Examining Authority.

## 2. Transmittal of the copy of the translation to the elected Offices.

The International Bureau notifies the applicant that copies of that translation have been transmitted to the following elected Offices requiring such translation:

CN, EP, KR

The following elected Offices, having waived the requirement for such a transmittal at this time, will receive copies of that translation from the International Bureau only upon their request:

AU, ID, JP, MX, SG, US, VN

## 3. Reminder regarding translation into (one of) the official language(s) of the elected Office(s).

The applicant is reminded that, where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report.

It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned (Rule 74.1). See Volume II of the PCT Applicant's Guide for further details.

The International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland

Facsimile No.+41 22 740 14 35

Authorized officer

Yoshiko Kuwahara

Facsimile No.+41 22 338 90 90